



SOLUTIONS IN SAFETY + LIGHTING

www.rp-group.com

Art.-Nr: WXD029ML

Exit sign Centralised power supply systems

Surface mounting, CPS, 90 m, IP20, Metal, White,

Square emergency exit sign cube luminaire for identifying escape and emergency routes. It can be mounted straight onto the ceiling or suspended using the appropriate accessories.

The cube shape means that this plastic luminaire is easily recognisable from four sides. Ideal for use where routes intersect, e.g. in large stores with aisles.

Control and monitoring via [central power supply system](#). Planning certainty is provided by printed pictograms, determined on the basis of logic. The pictograms used correspond to DIN ISO 7010 (arrow to the right, left and down).



More information

www.rp-group.com/en/item/WXD029ML




Technical Data


Luminaire type	Exit sign
Mounting	Surface mounting
Recognition distance	90 m
Pictograph	Set
Illuminant	LED
Housing material	Metal
Housing color	White
Protection type (IP)	IP20

Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	1
Supply	Centralised power supply systems
Monitoring	Central power supply (ML)
Bridging time	CPS
Battery	/
Operating mode	single luminaire switching
Input voltage AC	230V
Input frequency	50 / 60 Hz
Input voltage DC	216V
Power max.	5,4W
Power maintained	5,4W
Power non-maintained	1,1W
Ambient temperature maintained mode	-20°C to 40°C
Ambient temperature non-maintained mode	-20°C to 40°C
Depth	500mm
Width	500mm
Height	500mm
Weight	6.49
Weight incl. packaging	6.63
Connection cross-section	2.5mm²
Switching input	Yes
Emergency light blocking	No
Battery connection	No
Dimming function	Yes
Luminous flux mains	470lm
Luminous flux emergency	470lm
Customs tariff number	94056120
GTIN	4260581710026


Technical drawing




WG



WK



WX



Accessory List

- WKO - Set of chain eyelets for cube mounting (4 pieces)
 - 1PV-EB - Pendulum
- As of: 23.06.2026 - Subject to technical changes and errors.