



SOLUTIONS IN SAFETY + LIGHTING


www.rp-group.com

Art.-Nr: WGW418SC Exit sign Self-contained Wall mounting, 8 h, 46 m, IP20, Metal, White,

Square emergency exit sign cube luminaire for wall mounting for illuminating escape and emergency routes.

The cube shape means that this plastic luminaire is easily recognisable from three sides. Ideal for large-scale applications, e.g. in large stores.

Automatic monitoring of safety luminaire with [SelfControl](#).



More information




www.rp-group.com/en/item/WGW418SC




Technical Data

Luminaire type	Exit sign
Mounting	Wall mounting
Recognition distance	46 m
Pictograph	Set
Illuminant	LED
Housing material	Metal
Housing color	White
Protection type (IP)	IP20
Impact resistance (IK)	≥ 3

Certification	WEEE, CE, 5 years warranty
Insulation class	1
Supply	Self-contained
Monitoring	SelfControl (SC)
Bridging time	8 h
Battery	LiFePO4 3,2V/3,3Ah
Operating mode	Non-maintained / maintained
Input voltage AC	180V - 250V
Input frequency	50 Hz
Power max.	5,3W
Power maintained	3,9W
Power non-maintained	2W
Ambient temperature maintained mode	-5°C to 40°C
Ambient temperature non-maintained mode	-5°C to 40°C
Depth	237mm
Width	237mm
Height	237mm
Weight	1.26
Weight incl. packaging	1.4
Connection cross-section	2,5mm²
Switching input	Yes
Emergency light blocking	No
Battery connection	Connector
Dimming function	No
Luminous flux mains	190lm
Luminous flux emergency	190lm
Customs tariff number	94056120
GTIN	4262483023433

Technical drawing






WG

WK

WX



Accessory List

WKO - Set of chain eyelets for cube mounting (4 pieces)

LFP3233-SET-2AKKU - LiFePO4 Battery

As of: 23.06.2026 - Subject to technical changes and errors.