



Art.-Nr: AXRA401WL-AZ
Exit sign Single Battery
Recessed wall mounting, Wireless Professional, 1 h, 30 m,
IP40, Zinc die-cast, Anthracite

The AXRA is a zinc-diecast exit sign for recessed wall mounting, designed as flag mount, and for the marking of escape routes. It is part of a complete luminaire series, which features solutions for every mounting situation and was honored with the German Design Award. Luminaires of the A-Series are equipped with modern LED illuminants and offer flexibility with changeable pictograms.

LED exit sign according to EN 60598-1, EN 60598-2-22, EN 7010 and EN 1838



More information



TECHNICAL DATA


| | |
|------------------------|---|
| Luminaire type | Exit sign |
| Mounting | Recessed wall mounting |
| Recognition distance | 30 m |
| Pictograph | Set |
| Illuminant | LED |
| Housing material | Zinc die-cast |
| Housing color | Anthracite |
| Protection type (IP) | IP40 |
| Impact resistance (IK) | ≥ 3 |
| Certification | WEEE, CE, ENEC |
| Insulation class | 2 |
| Supply | Single Battery |
| Monitoring | Wireless Professional |
| Bridging time | 1 h |
| Battery | LiFePO4 - 2 pcs - 3,2 V /1200mAh LiFePO4 - Lithium Iron Phosphate Battery |
| Operating mode | Standby circuit / permanent circuit |
| Input voltageAC | 230 V |
| Input frequency | 50 Hz |
| Power max. | 5,6 W |
| Power DS | 4,5 W |



| | |
|--------------------------|---------------------|
| Power BS | 0,8 W |
| Depth | 80 mm |
| Width | 344 mm |
| Height | 229 mm |
| Installation length | 176 mm |
| Installation width | 68 mm |
| Installation height | 40 mm |
| Weight | 1.88 |
| Weight incl. packaging | 2.37 |
| Connection cross-section | 2.5 mm ² |
| Switching input | Yes |
| Emergency light blocking | Yes |
| Battery connection | Connector |
| Dimming function | Yes |
| Customs tariff number | 94056180 |
| Country of origin | DEUTSCHLAND |
| EAN | 4260682154057 |



TECHNICAL DRAWING



ACCESSORY LIST

AM-XBE -

LFP3212-LEO - Technology Battery



RELATED PRODUCTS

| Art.-No. | Image | Monitoring | Supply | Color | Investment | Automatic log | Maintenance level | Remote maintenance | max. luminaires | Single luminaire monitoring |
|-------------|--|-----------------------|----------------|-------|------------|---------------|-------------------|--------------------|------------------|-----------------------------|
| AXRA401WL |  | Wireless Professional | Single battery | | €€ | yes | low | yes | 1,000 per system | central |
| AXRA401WL-E |  | Wireless Professional | Single battery | | €€ | yes | low | yes | 1,000 per system | central |

As of: 08.07.2024 - Subject to technical changes and errors.